

Zensia The automatic

Barista arrives for vending



Focus on Coffee quality



Offer a wide menu of delicious beverages

Zensia brings you a full range of delicious coffee shop style drinks. Whether you want the true taste of **espresso**, **a freshly brewed leaf tea** or something a little more indulgent, Zensia has it all to offer.

Available in two configurations, instant coffee and leaf tea or espresso with leaf tea.

Both models have a fully automatic cup dispense system offering **7**, **9** or **12** oz cups.

Attractive and customisable: the centre of attention

Finished in stunning ebony gloss Zensia will compliment any environment grabbing the attention of potential consumers. The design is **minimalist**, **ergonomic and intuitive**.

- Exclusive back-lit keypad with screen effect.
- Cutomisable: Front and decals.





Distance Selection Technology: Frictionless user experience

Our elegant interface provides up to 20 beverage options on a user-friendly selection panel equipped with the patented Distance Selection Technology allowing a **touchless** selection at a distance of up to 2 cm.



Modular solutions

Choose the perfect combination for your establishment, combining the snack/food Mistral+ models with Zensia. The hot drinks equipment can operate as control module using a connection kit. The Mistral+ products are dispensed by choosing the selection via the Zensia. This way you can save space as the Mistral+ independent payment module is not required and choose the snack/food products using the Distance Selection Technology.

Making your work easier is our main aim



Installation and programming extremely straightforward:

- Pre-installed profiles.
- 20 programmable buttons.
- USB programming.
- Standard EVA-DTS communications option.



Easy maintenance and product replacement:

- Product can be refilled without the removal of canisters.
- Flat surfaces for easy cleaning.
- Soluble system designed to avoid any incidence and product blockage.
- Programmable filter change alerts system.



Security and antivandalism:

- Acrylic front with rear reinforcement in galvanized steel.
- More secure Cup Station constructed from stainless steel.
- Lower part of the door with a reinforced metal panel.

Environmentally friendly

Zensia features an advanced economy feature, saving up to 35% in energy consumption, during periods of inactivity the water boiler runs at lower temperature to conserve electricity. It is also possible to set a complete shut down for a given time period.

- Cup sensor allows use of own cup reducing plastic and paper cup usage.
- LED lighting.
- Paperless brewing system, no paper waste.
- A+ energy efficiency certification according to the EVA EMP 3.1B



TECHNICAL SPECIFICATIONS

<u>Zensia</u>

	Zensia Espresso Fresh-brew	Zensia Fresh-brew Tea
Capacity Configuration	Coffee bean hoppers: 1 Leaf tea hoppers: 1 Soluble canisters: 4 Cups Ø 73 mm: 700	Coffee bean hoppers: - Leaf tea hoppers: 1 Soluble canisters: 5 Cups Ø 73 mm: 700
Product Capacity	Coffee beans: 4.3 Kg 6 L Leaf tea: 2 Kg 6 L Soluble coffee: - Soluble decaffeinated: 1.5 Kg 6 L Soluble milk: 2.9 Kg 6 L Chocolate: 3.3 Kg 6 L Sugar: 5.7 Kg 6 L	Coffee beans: - Leaf tea: 2 Kg 6 L Soluble coffee: 1.5 Kg 6 Soluble decaffeinated: 1.5 Kg 6 L Soluble milk: 2.9 Kg 6 L Chocolate: 3.3 Kg 6 L Sugar: 5.7 Kg 6 L
Brewing systems	Type Espresso Capacity 8 gr Name of the Group Espresso AzkV10 Number of mixers 3	Type Instant Capacity - Name of the Group - Number of mixers 3
Brewing systems	Coffee group: Espresso AZK V10 Grinder: M03 Horeca Performance Tea Group: Easybrew	
Stirrers	-	-
Boiler	Type Espresso Capacity volume 700 cc	Type Atmospheric Capacity volume 3000 cc
Selections and pre-selections	Type of selec.interface Touch keypad with Distance Selection technology Pre-selections 3 Selections 12 (max 17)	
Connectivity and communications	Standard USB connectivity EXE/MDB protocol Standard EVA-DTS communications option	
Media screen option	No	No
Sensors and Filters	Out of Coffee detector Blocked grinder detector Electronic water temperature control. Electronic water level control. Cup detector	
Dimensions and weight	Height 1830 mm Width 600 mm Depth 625 mm	
Energy	Weight 151 Kg Voltage 230 V Maximum Power 1800 W	Weight 145 Kg Voltage 230 V Maximum Power 2100 W

COFFETEK reserves the right to alter this specification without prior notice, result of technical improvements resulting from its ongoing research.

U.K. Unit 1, Interplex 16, Ash Ridge Road Bradley Stoke, Bristol BS32 4QE Tel.: 01275 844 471 **España** Avda. San Silvestre, s/n 31350 Peralta (Navarra) Tel.: 948 709 709*

e, s/n Am Turm 86 /arra) 53721 Siegburg Tel.: 02241- 595 70

France 6 Allée de Londres Irg Le Madras Bat C2 95 70 91140 Villejust Tel.: 01 69 75 42 10

Portugal Bela Vista Office Estrada de Paço de Arcos, 66 2735-336 Cacem Tel.: 1210 985 212 Colombia Vía la Virginia, Corregimiento Caimalito. Bodega B-16. Zona Franca Internacional Pereira Tel.: +57 6 3110513 **United States** 3809 Beam Road, Suite H Charlotte, NC 28217 Tel.: +1 (980) 237-5065

Coffee & Vending Systems Division



sales@coffetek.co.uk www.coffetek.co.uk

AZKOYEN.



84800581-2007